





# Community Profile Report

# August 4 2021

The Community Profile Report (CPR) is generated by the Data Strategy and Execution Workgroup, under the White House COVID-19 Team. It is managed by an interagency team with representatives from multiple agencies and offices (including the United States Department of Health and Human Services, the Centers for Disease Control and Prevention, the Assistant Secretary for Preparedness and Response, and the Indian Health Service). The CPR provides easily interpretable information on key indicators for all regions, states, core-based statistical areas (CBSAs), and counties across the United States. It is a daily snapshot in time that:

- Focuses on recent COVID-19 outcomes in the last seven days and changes relative to the week prior
- Provides additional contextual information at the county, CBSA, state and regional levels
- Supports rapid visual interpretation of results with color thresholds

Data in this report may differ from data on state and local websites. This may be due to differences in how data were reported (e.g., date specimen obtained, or date reported for cases) or how the metrics are calculated. Historical data may be updated over time due to delayed reporting. Data presented here use standard metrics across all geographic levels in the United States. It facilitates the understanding of COVID-19 pandemic trends across the United States by using standardized data. The footnotes describe each data source and the methods used for calculating the metrics. For additional data for any particular locality, visit the relevant health department website. Additional data and features are forthcoming.

#### White House COVID-19 Team, Data Strategy and Execution Workgroup

All inquiries and requests for information to DSEW should be directed to <a href="https://wwwn.cdc.gov/dcs/ContactUs/Form">https://wwwn.cdc.gov/dcs/ContactUs/Form</a>.



# **COMMUNITY PROFILE REPORT**


# **Table of Contents**

National Time Series	<ol> <li>National time series (national case, death, percent test positivity, and hospital admission curves)</li> <li>Time series by Census Region (regional case, death, percent test positivity, and hospital admission curves)</li> </ol>
National Maps	5. Number of new cases and deaths in the last 7 days 6-8. Case incidence/Mortality rate/Viral (RT-PCR) lab test positivity in the last 7 days and comparison to the previous 7 days 9. Hospital admissions in the last 7 days and comparison to the previous 7 days 10-11. Hospital inpatient/ICU COVID-19 utilization in the last 7 days and comparison to the previous 7 days 12. Vaccination rates by county (% of total population and % of 65+ population fully-vaccinated) 13. Community transmission level (describes community transmission level derived from cases and test positivity) 14. Area of Concern Continuum (describes communities as they progress through stages of the epidemic) 15. Area of Concern Continuum - Rapid Riser Counties (highlights counties with recent acceleration in cases)
National and State Profiles	16. <b>National and regional metrics</b> (key indicators at the regional and national levels) 17-18. <b>State profiles and weekly categories</b> (states grouped into categories based on transmission level at the beginning of the week)
National Trends	19. Trends in case incidence during the last 8 weeks (state, regional, and national case incidence curves) 20. Trends in mortality rate during the last 4 weeks and 4 week forecast (state and national mortality curves, with 4-week CDC ensemble forecast) 21. Trends in viral (RT-PCR) lab test positivity during the last 8 weeks (state, regional and national, percent test positivity curves) 22. Trends in emergency department discharge diagnoses during the last 8 weeks (state, regional, and national ED visit curves) 23. Trends in hospital admissions per 100 beds during the last 8 weeks (state, regional, and national hospital admission curves) 24-25. Trends in hospital inpatient/ICU COVID utilization during the last 8 weeks (state, regional, and national hospital utilization curves) 26. Trends in percent of population aged 18+ initiating vaccination during the last 8 weeks (state, regional, and national vaccine doses administered curves) 27. National trends in viral (RT-PCR) lab test positivity by age group (national trends showing test volume, number of tests, and percent test positivity by age group) 28. Trends in viral (RT-PCR) lab test positivity by age group and FEMA Region 29. Trends in hospital admissions per 100k by age group (national and regional trends)
CBSA Profiles	30. Select high burden core-based statistical areas (CBSAs) (CBSAs with the highest disease burden for each population size) 31. Select core-based statistical areas (CBSAs) with increasing burden (CBSAs with the largest recent increases in disease burden for each population size) 32. Select core-based statistical areas (CBSAs) with high mortality (CBSAs with the highest mortality rates for each population size) 33-34. Select core-based statistical areas (CBSAs) with high admissions/high staffed adult ICU bed use (CBSAs with the highest hospitalization rates for each population size)
Data Sources and Methods	<ul> <li>35. Data sources and methods (data sources and notes for cases and deaths, testing data, and hospital data)</li> <li>36. Data sources and methods – color thresholds (definitions for color coding used throughout slides)</li> <li>37. Data sources and methods – dynamic data notes (data notes that are updated each day or as needed)</li> <li>38. Data sources and methods – AOC Continuum (detailed description of 7 stages of the epidemic described within the AOC continuum)</li> </ul>

White House COVID-19 Team, Data Strategy and Execution Workgroup

All inquiries and requests for information to DSEW should be directed to <a href="https://wwwn.cdc.gov/dcs/ContactUs/Form">https://wwwn.cdc.gov/dcs/ContactUs/Form</a>.


# NATIONAL TIME SERIES



Source: CDC state-reported data (cases and deaths), Unified Testing Dataset, Unified Hospital Dataset.



# TIME SERIES BY CENSUS REGION




**Source:** CDC state-reported data (cases and deaths), Unified Testing Dataset, Unified Hospital Dataset.


See https://www.census.gov/geographies/reference-maps/2010/geo/2010-census-regions-and-divisions-of-the-united-states.html for census regions.



## NUMBER OF NEW CASES AND DEATHS IN THE LAST 7 DAYS

Total Cumulative Cases: 35,286,935 New Cases in Last 7 Days: 626,244 Percent Change from Previous 7 Days: +43.3% Total Cumulative Deaths: 612,386 New Deaths in Last 7 Days: 2,667 Percent Change from Previous 7 Days: +39.3%






AL state-level case and mortality data were back distributed on 8/1/2021. MD state-level mortality data had a historical correction on 8/2/2021, resulting in a negative value.

## CASE INCIDENCE IN LAST 7 DAYS AND COMPARISON TO THE PREVIOUS 7 DAYS

Incidence Rate in the Last 7 Days: 188.6 per 100,000

**Percent Change from Previous 7 Days:** +43.3%





AL state-level case and mortality data were back distributed on 8/1/2021.

## MORTALITY RATE IN THE LAST 7 DAYS AND COMPARISON TO THE PREVIOUS 7 DAYS

Mortality Rate in the Last 7 Days: 0.8 deaths per 100,000

**Percent Change from Previous 7 Days:** +39.3%






AL state-level case and mortality data were back distributed on 8/1/2021. MD state-level mortality data had a historical correction on 8/2/2021, resulting in a negative value.

## VIRAL (RT-PCR) LAB TEST POSITIVITY IN THE LAST 7 DAYS AND COMPARISON TO PREVIOUS 7 DAYS

**Viral (RT-PCR) Lab Test Positivity in Last 7 Days:** 9.3%

### **Absolute Change from Previous 7 Days:** +1.4%




LA and WA testing data have at least 4 days with no or minimal reporting in the last week (by the data cutoff time for this report), which may result in missing values and inaccurate test positivity.

## HOSPITAL ADMISSIONS IN THE LAST 7 DAYS AND COMPARISON TO THE PREVIOUS 7 DAYS

# **Total Confirmed COVID-19 Hospital Admissions in Last 7 Days:** 51,434

### **Percent Change from Previous 7 Days:** +41.1%




**Source:** Unified Hospital Dataset, excluding psychiatric, rehabilitation, and religious non-medical hospitals. Confirmed COVID-19 admissions are all confirmed daily admissions reported within the last 7 days. Denominator of per 100 beds calculation is the sum of average staffed inpatient bed count reported by hospitals within the geographic region and time period. HSA indicates Hospital Service Area. Hospitals are assigned to HSA based on zip code where known. In some areas, reports are aggregates of multiple facilities that cross HSA boundaries; in these cases, values are assigned based on the zip code for the aggregate.

RI hospital admissions data includes a reporting anomaly during the past week that is being investigated.

# Average Daily COVID-19 Hospital Inpatients over Last 7 Days: 43,590


### **Percent Change from Previous 7 Days:** +46.4%



**Source:** Unified Hospital Dataset, excluding psychiatric, rehabilitation, and religious non-medical hospitals. COVID-19 inpatient utilization indicates average percentage of staffed inpatient beds occupied by confirmed COVID-19 patients within the given time period. HSA indicates Hospital Service Area. Hospitals are assigned to HSA based on zip code where known. In some areas, reports are aggregates of multiple facilities that cross HSA boundaries; in these cases, values are assigned based on the zip code for the aggregate. See Data Sources/Methods slides for additional details.

# Average Daily Adult ICU COVID-19 Patients over Last 7 Days: 11,381


### **Percent Change from Previous 7 Days:** +41.8%




**Source:** Unified Hospital Dataset, excluding psychiatric, rehabilitation, and religious non-medical hospitals. Staffed adult ICU COVID-19 utilization indicates average percentage of staffed adult ICU beds occupied by confirmed COVID-19 patients within the given time period. HSA indicates Hospital Service Area. Hospitals are assigned to HSA based on zip code where known. In some areas, reports are aggregates of multiple facilities that cross HSA boundaries; in these cases, values are assigned based on the zip code for the aggregate. See Data Sources/Methods slides for additional details.

## **VACCINATION RATES BY COUNTY**


Percent of Population Fully Vaccinated: 49.8% Percent of Population with at Least 1 Dose: 58.0% Percent of 65+ Population Fully Vaccinated: 80.0% Percent of 65+ Population with at Least 1 Dose: 89.9%






Source: Unified COVID-19 Vaccine Dataset. Fully vaccinated indicates those who received the second dose of Pfizer-BioNTech or Moderna vaccines and those who received one dose of J&J/Janssen COVID-19 vaccine. Values reflect total by report date, not administered date. The following states have ≤80% completeness reporting vaccinations by county, which may result in underest imates of vaccination data for counties and CBSAs: VT (74%), WV (58%), GA (54%), VA (51%), AS (0%), TX (0%), PW (0%), FM (0%), HI (0%), HI (0%), MP (0%)

## **COMMUNITY TRANSMISSION LEVEL**



Coun	Counties by Community Transmission Indicator						
Cases per 100k	0 to 9	10 to 49	50 to 99	100 +			
# of counties (change)	225 (↓121)	395 (↓437)	711 (个10)	1889 (个548)			
% of counties (change)	7.0% (↓3.8%)	12.3% (↓13.6%)	22.1% (个0.3%)	58.7% (个17.0%)			
Test Positivity	0.0% to 4.9%	5.0% to 7.9%	8.0% to 9.9%	10.0% +			
# of counties (change)	801 (↓328)	503 (个7)	268 (↑24)	1648 (个297)			
% of counties (change)	24.9% (↓10.2%)	15.6% (个0.2%)	8.3% (个0.7%)	51.2% (个9.2%)			


Counties by Combined Transmission Level				
Category	Low Transmission Blue	Moderate Transmission Yellow	Substantial Transmission Orange	High Transmission Red
# of counties (change)	126 (↓99)	331 (↓387)	587 (个51)	2176 (个435)
% of counties (change)	3.9% (↓3.1%)	10.3% (↓12.0%)	18.2% (↑1.6%)	67.6% (个13.5%)



Source: CDC Aggregate County Dataset (cases), Unified Testing Dataset (tests)


**Notes**: Combined Transmission Level is the higher threshold among cases and testing thresholds.

# **AREA OF CONCERN CONTINUUM**




The Areas of Concern Continuum (AOCC) is used to describe communities as they progress through stages of the epidemic. There are 7 possible AOC classifications based on current and recent history of case and testing data for the location:

- (1) Low Burden communities with minimal activity
- (2) **Moderate Burden** communities with moderate disease activity
- (3) **Emerging Hotspot** communities with a high likelihood to become hotspots in the next 1-7 days
- (4) **Hotspot** communities that have reached a threshold of disease activity considered as being of high burden
- (5) **Sustained Hotspot** communities that have had a high sustained case burden and may be higher risk for experiencing healthcare resource limitations
- (6) **High Burden Resolving** communities that were recently identified as hotspots and are now improving
- (7) **Moderate Burden Resolving** communities that have a moderate level of burden, but are demonstrating improvement See Data Sources/Methods slides for more information.



# **AREA OF CONCERN CONTINUUM - RAPID RISER COUNTIES**



This map shows counties that have seen a rapid rise in cases within the last 14 days by meeting the following **Rapid Riser County** criteria:


- >100 new cases in last 7 days
- >0% change in 7-day incidence
- >-60% change in 3-day incidence
- 7-day incidence / 30-day incidence ratio >0.31
- one or both of the following triggering criteria:
  - (a) >60% change in 3-day incidence, (b) >60% change in 7-day incidence

The color indicates *current* acceleration in cases (ratio of 7-day to 30-day cases). Counties in **light red** and **red** are continuing to see accelerating cases in the most recent week, while those in **dark green** and **green** may have seen declines in the most recent week.

The bar charts below show the history of rapid riser counties by FEMA region and week, indicating when different geographic areas have seen the greatest acceleration in cases.

#### # of Distinct Rapid Riser Counties by Week and FEMA Region

(vertical axis scaled to number of counties in region)



Week (date shows end of 7-day period)

# NATIONAL AND REGIONAL METRICS

#### **National Metrics**

			Last 7 days		
	Cases (per 100k)	Viral (RT- PCR) lab test positivity	Confirmed admissions (per 100 beds)	ICU COVID-19 utilization	Deaths (per 100k)
U.S Total - Last 7 Days	626,244 (189)	9.3%	51,434 (7.3)	13%	2,667 (0.8)
U.S. Total - 1 Week Ago	437,030 (132)	7.8%	36,447 (5.1)	9%	1,915 (0.6)
U.S. Total - Jul 2021 Peak	540,366 (163)	9.3%	47,627 (6.7)	12%	2,222 (0.7)
U.S. Total - Jun 2021 Peak	112,895 (34)	2.3%	17,970 (2.5)	7%	2,826 (0.9)
U.S. Total - May 2021 Peak	347,453 (105)	4.2%	33,632 (4.7)	11%	4,316 (1.3)
U.S. Total - Apr 2021 Peak	484,261 (146)	5.5%	39,404 (5.5)	11%	5,003 (1.5)
U.S. Total - Mar 2021 Peak	449,151 (135)	5.2%	39,522 (5.5)	14%	10,664 (3.2)
U.S. Total - Feb 2021 Peak	983,300 (296)	8.3%	78,094 (10.8)	26%	20,142 (6.1)
U.S. Total - Jan 2021 Peak	1,778,449 (536)	14.9%	115,443 (15.8)	31%	25,382 (7.6)
U.S. Total - Dec 2020 Peak	1,540,921 (464)	14.5%	105,810 (14.6)	30%	21,121 (6.4)
U.S. Total - Nov 2020 Peak	1,269,676 (382)	11.0%	86,382 (11.9)	24%	12,981 (3.9)

Change from previous week					
Pct change in cases	Absolute change in test pos.	Pct change in conf. adm. per 100 beds	Absolute change in ICU COVID-19 util.	Pct change in deaths	
+43%	+1.4%	+42%	4%	+39%	
+56%	+2.1%	+47%	3%	+26%	

Daily case trend - last 8 weeks

Last 7 days indicates cases/deaths data from 7/28-8/3, admissions data from 7/27-8/2, and testing data from 7/26-8/1.

#### **Regional Metrics**

			Last 7 days			Change from previous week					
FEMA Region (Population)	Cases (per 100k)	Viral (RT- PCR) lab test positivity	Confirmed admissions (per 100 beds)	ICU COVID-19 utilization	Deaths (per 100k)	Pct change in cases	Absolute change in test pos.	Pct change in conf. adm. per 100 beds	Absolute change in ICU COVID-19 util.	Pct change in deaths	Daily case trend - last 8 weeks
Region 4 (66,908,139)	237,880 (356)	16.4%	21,419 (13.8)	21%	827 (1.2)	+41%	+2.0%	+49%	7%	+41%	
Region 6 (42,716,279)	129,279 (303)	15.7%	11,910 (13.1)	26%	601 (1.4)	+49%	+1.4%	+48%	8%	+47%	
Region 9 (51,555,755)	80,634 (156)	7.8%	6,246 (7.3)	14%	392 (0.8)	+30%	+1.3%	+30%	4%	+76%	
Region 5 (52,542,063)	48,068 (91)	5.9%	3,442 (2.9)	5%	231 (0.4)	+68%	+1.6%	+33%	2%	+37%	
Region 2 (31,635,850)	29,952 (95)	3.6%	1,463 (1.9)	3%	106 (0.3)	+52%	+0.8%	+35%	0%	+38%	
Region 7 (14,140,220)	29,740 (210)	12.8%	2,585 (7.3)	22%	180 (1.3)	+17%	-0.3%	+24%	4%	+10%	
Region 3 (30,854,848)	22,969 (74)	5.3%	1,513 (2.3)	4%	108 (0.4)	+68%	+1.1%	+41%	1%	+11%	
Region 10 (14,351,240)	22,123 (154)	8.8%	1,097 (4.6)	13%	95 (0.7)	+54%	+3.7%	+40%	4%	+42%	
Region 8 (12,258,952)	14,101 (115)	7.3%	1,212 (4.9)	12%	97 (0.8)	+33%	+0.5%	+21%	2%	+35%	
Region 1 (14,845,063)	11,498 (77)	2.8%	547 (1.6)	3%	30 (0.2)	+58%	+0.8%	+44%	1%	-42%	

## STATE PROFILES AND WEEKLY CATEGORIES

Weekly Categorization of States, DC, and Territories: color categories based on last week's CDC combined transmission level data (baseline dates: July 25-31)

Case Data from July 28-August 3, Admissions Data from July 27-August 2, Test Positivity Data from July 26-August 1

### **High Transmission States/Territories**

		Last 7 days		Chang	e from previous	s week	Daily case
State	Cases (per 100k)	Viral (RT-PCR) lab test positivity	Confirmed admissions (per 100 beds)	Pct. change in cases	Abs. change in test pos.	Pct. change in conf. adm. per 100 beds	trend - last 8 weeks
AL†	14,671 (299)	23.3%	1,922 (13.7)	+11%	+4.5%	+51%	
AK	1,736 (237)	6.3%	81 (5.7)	+23%	+0.4%	-9%	
AZ	13,277 (182)	13.2%	1,050 (7.2)	+38%	+1.7%	+45%	
AR	13,600 (451)	11.3%	1,043 (13.1)	+23%	+0.7%	+8%	
FL	124,297 (579)	18.8%	11,703 (22.2)	+32%	+1.9%	+39%	
GA	27,363 (258)	13.8%	2,577 (14.1)	+65%	+3.2%	+74%	
HI	2,511 (177)	6.4%	109 (4.5)	+84%	+1.4%	+80%	
ID	2,874 (161)	14.2%	177 (5.3)	+69%	+3.7%	+48%	
IA	2,709 (86)	11.6%	223 (2.9)	+40%	+2.0%	+40%	
KS	4,793 (165)	11.2%	521 (6.2)	-2%	+0.1%	+39%	
KY	9,989 (224)	10.5%	1,271 (10.2)	+61%	+0.4%	+59%	
LA*	30,287 (652)	N/A	2,173 (18.2)	+18%	N/A	+64%	
MS	12,937 (435)	21.6%	861 (10.5)	+39%	+5.4%	+58%	
MO	20,262 (330)	13.7%	1,706 (11.3)	+18%	-0.7%	+17%	
NE	1,976 (102)	15.8%	135 (3.2)	+41%	+1.2%	+23%	
NV	7,580 (246)	19.0%	901 (11.8)	+18%	+2.1%	+5%	
NC	17,287 (165)	10.3%	1,130 (5.3)	+44%	+1.6%	+39%	
OK	12,286 (310)	19.7%	1,213 (12.9)	+42%	-2.5%	+58%	/
OR	6,489 (154)	7.1%	297 (4.2)	+84%	+2.0%	+62%	
SC	14,760 (287)	15.2%	826 (8.3)	+74%	+4.6%	+98%	
SD	40 (5)	10.1%	46 (1.8)	-84%	+1.3%	+59%	~~~
TN	16,576 (243)	16.5%	1,129 (6.1)	+93%	+2.7%	+74%	
TX	70,492 (243)	16.7%	7,296 (12.6)	+79%	+2.0%	+51%	

### **High Transmission States/Territories**

	Last 7 days			Chang	Change from previous week			
State	Cases (per 100k)	Viral (RT-PCR) lab test positivity	Confirmed admissions (per 100 beds)	Pct. change in cases	Abs. change in test pos.	Pct. change in conf. adm. per 100 beds	trend - last 8 weeks	
UT	6,139 (191)	11.7%	383 (7.1)	+34%	+0.5%	+18%		
WY	1,081 (187)	7.4%	100 (6.7)	+38%	+2.1%	-3%	~~~	

The Weekly Categories slides indicate which states and territories fell in the high, substantial, moderate, and low transmission level categories at the beginning of the week (as of Sunday data). The indicators shown here are fixed throughout the week and provide a common reference point for states from week to week.

<sup>\*</sup>LA and WA testing data have at least 4 days with no or minimal reporting in the last week (by the data cutoff time for this report), which may result in missing values and inaccurate test positivity.
†AL state-level case and mortality data were back distributed on 8/1/2021.

## STATE PROFILES AND WEEKLY CATEGORIES

Weekly Categorization of States, DC, and Territories: color categories based on last week's CDC combined transmission level data (baseline dates: July 25-31)

Case Data from July 28-August 3, Admissions Data from July 27-August 2, Test Positivity Data from July 26-August 1

#### **Substantial Transmission States/Territories**

		Last 7 days		Chang	e from previous	s week	Daily case
State	Cases (per 100k)	Viral (RT-PCR) lab test positivity	Confirmed admissions (per 100 beds)	Pct. change in cases	Abs. change in test pos.	Pct. change in conf. adm. per 100 beds	trend - last 8 weeks
CA	57,165 (145)	6.7%	4,186 (6.9)	+29%	+1.0%	+33%	_~
СО	4,951 (86)	5.2%	479 (4.7)	+26%	+0.2%	+14%	~~/
CT	3,050 (86)	3.6%	172 (2.2)	+68%	+1.1%	+42%	
DE	819 (84)	4.4%	23 (0.8)	+69%	+1.4%	+22%	~
DC	566 (80)	2.9%	30 (1.0)	+41%	+0.3%	+30%	
IL	14,411 (114)	4.9%	1,007 (3.5)	+44%	+1.0%	+44%	
IN	8,277 (123)	10.2%	688 (4.0)	+57%	+2.1%	+32%	
MA	5,702 (83)	2.6%	263 (1.6)	+50%	+0.7%	+65%	
MN	4,151 (74)	4.8%	235 (2.4)	+71%	+1.4%	+22%	
MT	1,368 (128)	9.3%	180 (6.3)	+79%	+2.3%	+72%	
NJ	7,445 (84)	4.0%	511 (2.5)	+45%	+0.4%	+38%	
NM	2,614 (125)	5.5%	185 (4.8)	+58%	+0.7%	+30%	
NY	18,559 (95)	3.2%	843 (1.8)	+53%	+0.9%	+31%	
ND	522 (68)	3.7%	24 (1.2)	+64%	+1.0%	+10%	
ОН	8,834 (76)	5.7%	765 (2.6)	+62%	+1.6%	+23%	
PR	3,707 (116)	9.5%	103 (1.2)	+60%	+2.8%	+71%	
RI‡	1,175 (111)	3.1%	20 (0.9)	+78%	+1.2%	+33%	
VA	8,954 (105)	8.8%	461 (2.8)	+71%	+1.2%	+38%	
WA*	11,024 (145)	N/A	542 (4.5)	+42%	N/A	+38%	لس
WV	1,651 (92)	6.7%	164 (3.0)	+59%	+2.3%	+68%	
WI	6,737 (116)	7.8%	404 (3.5)	+100%	+3.0%	+56%	

#### **Moderate Transmission States/Territories**

		Last 7 days		Chang	Dai cas		
State	Cases (per 100k)	Viral (RT-PCR) lab test positivity	Confirmed admissions (per 100 beds)	Pct. change in cases	Abs. change in test pos.	Pct. change in conf. adm. per 100 beds	trend last wee
ME	577 (43)	2.3%	57 (2.0)	+24%	+0.6%	+16%	\
MD	3,675 (61)	3.5%	288 (2.9)	+67%	+0.4%	+45%	
MI	5,658 (57)	5.5%	343 (1.6)	+166%	+1.5%	+17%	
NH	757 (56)	2.3%	32 (1.2)	+103%	+0.1%	+14%	
PA	7,304 (57)	4.6%	547 (1.9)	+69%	+1.5%	+36%	
VT	237 (38)	2.7%	3 (0.3)	+35%	+0.9%	-63%	

#### **Low Transmission States/Territories**

	Last 7 days		Chang	Change from previous week			
State	Cases (per 100k)	Viral (RT-PCR) lab test positivity	Confirmed admissions (per 100 beds)	Pct. change in cases	Abs. change in test pos.	Pct. change in conf. adm. per 100 beds	trend - last 8 weeks

\*LA and WA testing data have at least 4 days with no or minimal reporting in the last week (by the data cutoff time for this report), which may result in missing values and inaccurate test positivity. ‡RI hospital admissions data includes a reporting anomaly during the past week that is being investigated.

The Weekly Categories slides indicate which states and territories fell in the high, substantial, moderate, and low transmission level categories at the beginning of the week (as of Sunday data). The indicators shown here are fixed throughout the week and provide a common reference point for states from week to week.

## TRENDS IN CASE INCIDENCE DURING THE LAST 8 WEEKS



#### Case incidence categories

(based on cases per 100,000 population in the last 7 days)

4 or less
5 - 9
10 - 49
50 - 99
100 - 199
200 or more

# Weekly % change categories


(arrow based on % change in weekly cases)

-26% or less	4
-25%11%	7
-10% - 0%	$\rightarrow$
+1% - +10%	$\rightarrow$
+11% - +25%	7
+26% or more	个

**Source**: CDC state-reported data. See Data Sources/Methods slides for additional details.

AL state-level case and mortality data were back distributed on 8/1/2021.

### TRENDS IN MORTALITY RATE DURING THE LAST 4 WEEKS AND 4 WEEK FORECAST



#### Mortality rate categories

(based on deaths per 100,000 population in the last 7 days)

0.0
0.1 - 0.9
1.0 - 1.9
2.0 - 4.9
5.0 or more

Projected Deaths
50% Prediction Interval

95% Prediction Interval

**Source**: CDC state-reported data. See Data Sources/Methods slides for additional details.

Forecast: The forecast displays projected weekly death totals using an ensemble of predictive models generated by academic, private industry, and governmental groups. Models make various assumptions about the levels of social distancing and other interventions, which may not reflect recent changes in behavior. FEMA regions are not included in the forecast. More information is available at the COVID-19 Forecast Hub. The forecast date is as of 8/2.

AL state-level case and mortality data were back distributed on 8/1/2021.

MD state-level mortality data had a historical correction on 8/2/2021, resulting in a negative value.

## TRENDS IN VIRAL (RT-PCR) LAB TEST POSITIVITY DURING THE LAST 8 WEEKS



## Viral (RT-PCR) lab test positivity categories

(based on proportion of positive tests over the last 7 days)

2.9% or less	
3.0% - 4.9%	
5.0% - 7.9%	
8.0% - 9.9%	
10.0% - 14.9%	
15.0% or more	J

# Weekly absolute change categories

(arrow based on absolute change in weekly test positivity)

-2 1% or less

212/0 01 (000	_
-2.0%0.6%	7
-0.5% -0.0%	$\rightarrow$
+0.1% - +0.5%	$\rightarrow$
+0.6% - +2.0%	7


+2.1% or more

Most recent dates may be less reliable due to delayed reporting. States in gray have limited or no reporting in most recent week.

**Source**: Unified Testing Dataset. See Data Sources/Methods slides for additional details.

LA and WA testing data have at least 4 days with no or minimal reporting in the last week (by the data cutoff time for this report), which may result in missing values and inaccurate test positivity.

## TRENDS IN EMERGENCY DEPARTMENT DISCHARGE DIAGNOSES DURING THE LAST 8 WEEKS




# Average percent of ED visits with COVID-19 discharge diagnosis

(based on proportion of discharge diagnoses including COVID-19 over the last 7 days)

0.9% or less	
1.0% - 2.9%	
3.0% - 4.9%	
5.0% - 7.9%	
8.0% or more	

#### Weekly absolute change

(based on change in COVID-19 diagnosis percentage, or COVID-19 ED visit percentage where diagnosis data is incomplete)




Primary Source: National Syndromic Surveillance Program (NSSP). <15% of ED facilities in CA, HI, IA, MN, and OK participate in NSSP. OH data stream is currently down due to a recent system upgrade. MO discharge diagnosis data is incomplete

Secondary Source: Unified Hospital Dataset ED visits. This includes all visits related to COVID-19, which includes patients that "meet suspected or confirmed definition or presents for COVID diagnostic testing".

See Data Sources/Methods slides for additional details.

## TRENDS IN HOSPITAL ADMISSIONS PER 100 BEDS DURING THE LAST 8 WEEKS



## Confirmed admission rate categories

(based on confirmed COVID-19 admissions per 100 beds over the last 7 days)

1.0 or less
1.1 - 3.0
3.1 - 5.0
5.1 - 10.0
10.1 - 15.0
15.1 or more

# Weekly % change categories

(arrow based on % change in weekly confirmed COVID-19 admissions)




Figure depicts confirmed hospital admissions per 100 inpatient beds.

**Source:** Unified Hospital Dataset. See Data Sources/Methods slides for additional details.

RI hospital admissions data includes a reporting anomaly during the past week that is being investigated.

## TRENDS IN HOSPITAL INPATIENT COVID UTILIZATION DURING THE LAST 8 WEEKS



# In patient bed utilization categories

(based on average percentage of beds occupied by confirmed COVID-19 patients over the last 7 days)

3% or less
4% - 7%
8% - 12%
13% - 15%
16% - 20%
21% or more

# Weekly absolute change categories

(arrow based on absolute change in weekly % of beds occupied by confirmed COVID-

-2% or less	1
-1%	7
0%	$\rightarrow$
+1%	$\rightarrow$
+2%	7
+3% or more	个

**Source**: Unified Hospital Dataset. See Data Sources/Methods slides for additional details.

## TRENDS IN STAFFED ADULT ICU BED CAPACITY DURING THE LAST 8 WEEKS



# Staffed Adult ICU COVID Utilization categories

(based on average percentage of beds occupied by confirmed COVID-19 patients over the last 7 days)

3% or less
4% - 7%
8% - 12%
13% - 15%
16% - 20%
21% or more

# Weekly absolute change categories

(arrow based on absolute change in weekly % of ICU beds occupied by confirmed COVID-19 patients)

-2% or less	↓
-1%	7
0%	$\rightarrow$
+1%	$\rightarrow$
+2%	7
+3% or more	个

Color based on ICU confirmed COVID-19 utilization only. Light gray based on overall ICU utilization. Most recent dates may be less reliable due to delayed reporting.

**Source**: Unified Hospital Dataset. See Data Sources/Methods slides for additional details.

## TRENDS IN PERCENT OF POPULATION AGED 12+ INITIATING VACCINATION DURING THE LAST 8 WEEKS



# Percent of population 12+ initiating vaccination

(based on percent of population in last 7 days)

+0.5% or less
+0.6% - +1.0%
+1.1% - +1.5%
+1.6% - +2.0%
+2.1% - +2.5%
+2.6% - +3.0%
+3.1% or more

# Weekly absolute change categories

(arrow based on absolute change in percent of population)





+0.11% - +0.25%

+0.26% or more

**Source:** Unified COVID-19 Vaccine Dataset. See Data Sources/Methods slides for additional details.


## TRENDS IN COVID-19 TEST POSITIVITY BY AGE GROUP AND REGION






Source: Unified Testing Dataset. Figures show 7-day average over the last 8 weeks. See Data Sources/Methods slides for additional details. Absolute change is shown as light red if +0.6% to +2.0%, and dark red if +2.1% or higher.


## TRENDS IN COVID-19 TEST VOLUME BY AGE GROUP AND REGION





Source: Unified Testing Dataset. Figures show 7-day totals over the last 8 weeks. See Data Sources/Methods slides for additional details.

## TRENDS IN CONFIRMED COVID-19 ADMISSIONS BY AGE GROUP AND REGION





Source: Unified Hospital Dataset. Figures show 7-day totals over the last 8 weeks. See Data Sources/Methods slides for a dditional details. Percent change is shown as light red if +11% to +25%, and dark red if +26% or higher.



#### **DATA SOURCES AND METHODS**

#### **DATA NOTES**

- Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in changes from day to day.
- Population/Demographics: Population and demographic data is from US Census Vintage 2019 Demographic Estimates.
- Cases and Deaths: COVID-19 case and death metrics at the state and county level are generated using a dataset managed by the CDC which is compiled from state and local health departments. Most states and localities report both confirmed and suspected cases and deaths, although some report just confirmed cases and deaths. To ensure data quality, daily data alerts are monitored for deviations in the data (e.g., decreases in cumulative values, no change in values, abnormal increases in values). These alerts are manually reviewed every day by checking the data against local government websites, state websites, and news sources, and the raw values are corrected as needed to reflect local government reports. Cases are based on date of report and not on date of symptom onset. This may cause artificial spikes in any given day of data. Changes in reporting may also cause temporary spikes or dips (e.g. shifts from reporting confirmed and probable cases to reporting just confirmed cases). Case data are presented as 7-day totals or averages to adjust for these anomalies as well as weekly variations in reporting. CBSA-level data are calculated by aggregating county/municipio-level data. Regional and national values are calculated by aggregating state-level data.
- Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data are used to describe state-level totals when able to be disaggregated from serology test results and to describe county-level totals when information is available on patients' county of residence or healthcare providers' practice location. HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and six commercial labs) are used otherwise. Some states did not report on certain days, which may affect the total number of tests resulted and positivity rate values. Total diagnostic tests are the number of tests performed, not the number of individuals tested. Viral (RT-PCR) lab test positivity rate is the number of positive tests divided by the number of tests performed and resulted. See <a href="https://www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html">https://www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html</a> for more information on this method. Testing data may be backfilled over time, resulting in changes week-to-week in testing data.
- Hospital Data: Unified Hospital Dataset, including federal facilities (VA, DHA, and IHS hospitals) and excluding psychiatric, rehabilitation, and religious non-medical hospitals.
  - Hospital data are reported to HHS either directly from facilities or via a state submission. Data for hospitals with the same CMS Certification Number (CCN) are aggregated. Three percent of CCNs contain multiple facilities that map to different counties and some of these may also map to different CBSAs. These data are reported daily by more than 6,000 facilities across the country. While these data are reviewed for errors and corrected, some reporting errors may still exist within the data. To minimize errors in data reported here, extreme outliers are removed from the data before the metrics are calculated.
  - Total inpatient bed, ICU bed, and ventilator counts are calculated as an average among reports from each hospital in the given timeframe. Unless otherwise noted, "inpatient beds" indicates staffed adult and pediatric inpatient beds, while "ICU beds" indicates staffed adult ICU beds. Utilization metrics calculate the average utilization in the geography for the week. Due to inconsistent reporting and impacts of staffing on the total number of beds at each hospital, variations may occur over time and the number shown may not be a full representation of the true number of resources in the area.
  - Total number of admissions is calculated as a sum of confirmed and suspected admissions, both adult and pediatric, reported by all hospitals reporting in the given timeframe. Due to inconsistent reporting and data errors, the number shown may not be a full representation of the true number of admissions in the area.

#### DATA SOURCES AND METHODS - COLOR THRESHOLDS

# Color Thresholds for Indicators

The green-to-red color thresholds convey information on levels of transmission severity. There are not specific labels associated with each color threshold.

Colors are determined by first rounding a raw number to the nearest integer or tenth, and then selecting the associated color. If there is no data or a metric cannot be computed, a cell is colored gray.

Color thresholds were set based on a variety of factors and analyses, including assessing historical correlations in test positivity and case counts.

Additional shades of red are used for certain visualizations to provide greater context.

NOTE: Colors are applied after rounding to the displayed digits of precision

CASES/DEATHS						
	DARK GREEN	LIGHT GREEN	YELLOW	ORANGE	LIGHT RED	RED
Confirmed cases - 7-day total	colored by per capita thresholds					
Cases per 100k - 7-day total	4 or less	5 – 9	10 – 49	50 – 99	100 – 199	200 or more
Confirmed deaths - 7-day total	colored by per capita thresholds					
Confirmed deaths per 100k - 7-day total	not used	0.0	0.1 - 0.9	1.0 - 1.9	2.0 - 4.9	5.0 or more
Confirmed cases - % change Confirmed deaths - % change	-26% or less	-25% – -11%	-10% – +0%	+1% - +10%	+11% - +25%	+26% or more

#### VIRAL (RT-PCR) LAB TESTING

CASES/DEATHS

Viral (RT-PCR) lab test positivity rate - 7 day average Total RT-PCR diagnostic tests - 7-day total RT-PCR tests per 100k - 7-day total Viral (RT-PCR) lab test positivity rate - absolute change Total RT-PCR diagnostic tests - percent change

DARK GREEN	LIGHT GREEN	YELLOW	ORANGE	LIGHT RED	RED		
2.9% or less	3.0% - 4.9%	5.0% - 7.9%	8.0% - 9.9%	10.0% - 14.9%	15.0% or more		
colored by per capita thresholds							
5,000 or more	3,000 - 4,999	2,000 – 2,999	1,000 - 1,999	500 – 999	499 or less		
-2.1% or less	-2.0%0.6%	-0.5% - +0.0%	+0.1% - +0.5%	+0.6% - +2.0%	+2.1% or more		
+26% or more	+25% - +11%	+10% - +1%	+0%10%	-11% – -25%	-26% or less		

HOSPITAL	UTIL	IZAT	ION

Confirmed COVID-19 admissions - 7-day total Suspected COVID-19 admissions - 7-day total Total COVID-19 admissions - 7-day total

Confirmed COVID-19 admissions per 100 inpatient beds - 7-day total Suspected COVID-19 admissions per 100 inpatient beds - 7-day total

Total COVID-19 admissions per 100 inpatient beds - 7-day total

% in patient beds occupied

% ICU beds occupied

% ventilators in use

% inpatient beds occupied by COVID-19 patient

% ICU beds occupied by COVID-19 patient

% ventilators in use by COVID-19 patient

Confirmed COVID-19 admissions per 100 in patient beds - percent change

Suspected COVID-19 admissions per 100 inpatient beds - percent change

% inpatient beds occupied - absolute change

% in patient beds occupied by COVID-19 patient - absolute change

% ICU beds occupied - absolute change

% ICU beds occupied by COVID-19 patient - absolute change

% ventilators in use - absolute change

% ventilators in use by COVID-19 patient - absolute change

 $Monoclonal\, antibody\, courses\, administered\,\, by\, hospitals\, -\, percent\,\, change$ 

DARK GREEN	LIGHT GREEN	YELLOW	ORANGE	LIGHT RED	RED		
colored by per 100 bed thresholds							
1.0 or less	1.1 - 3.0	3.1 – 5.0	5.1 – 10.0	10.1 – 15.0	15.1 or more		
2.0 or less	2.1 - 5.0	5.1 - 10.0	10.1 - 15.0	15.1 – 20.0	20.1 or more		
	<b>GF</b> 0% -	81% - 90%	91% or more				
3% or less	4% – 7%	8% - 12%	13% – 15%	16% – 20%	21% or more		
-26% or less	-25% – -11%	-10% - +0%	+1% - +10%	+11% - +25%	+26% or more		
-2% or less	-1%	0%	+1%	+2%	+3% or more		
100% or more	99% – 20%	19% - 0%	-1%19%	-20% – -99%	-100% or less		

#### DATA SOURCES AND METHODS

#### States that have provided no county testing data for the most recent days of reporting:

- MH provided no testing data after 05/27: MH's testing numbers may therefore be a significant underestimate of the true value.
- MP provided no testing data after 07/19: MP's testing numbers may therefore be a significant underestimate of the true
- LA provided no testing data after 07/29: LA's testing numbers may therefore be a significant underestimate of the true
- NE provided no testing data after 07/29: NE's testing numbers may therefore be a significant underestimate of the true value.
- WA provided no testing data after 07/29: WA's testing numbers may therefore be a significant underestimate of the
- CA provided no testing data after 07/31: CA's testing numbers may therefore be a significant underestimate of the true value.

#### States that have provided no state testing data for the most recent days of reporting

- MH provided no testing data after 05/27: MH's testing numbers may therefore be a significant underestimate of the true value.
- MP provided no testing data after 07/19: MP's testing numbers may therefore be a significant underestimate of the true value.
- LA provided no testing data after 07/29: LA's testing numbers may therefore be a significant underestimate of the true
- NE provided no testing data after 07/29: NE's testing numbers may therefore be a significant underestimate of the true
- WA provided no testing data after 07/29: WA's testing numbers may therefore be a significant underestimate of the true value.
- CA provided no testing data after 07/31: CA's testing numbers may therefore be a significant underestimate of the true

#### Cases and Deaths

- County-level case and death data are inclusive of all updates as of 01PM 8/4/2021.
- State-level case and death data are inclusive of all updates as of 01PM 8/4/2021.

#### County Test Data Source by State

CELR data from states provided in line level format: AK, AL, AR, AZ, CA, CO, CT, DC, DE, FL, GA, GU, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MP, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, PR, RI, SC, SD, TN, TX, UT, VA, VI, VT, WA, WI, WV, WY

#### State Test Data Source by State

CELR data from states provided in line level format: AK, AL, AR, AZ, CA, CO, CT, DC, DE, FL, GA, GU, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MP, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, PR, RI, SC, SD, TN, TX, UT, VA, VI, VT, WA, WI, WV, WY



#### DATA SOURCES AND METHODS – AOC CONTINUUM

The **Areas of Concern Continuum** is used to describe communities as they progress through stages of the epidemic. There are 7 possible AOC classifications based on current and recent history of case and testing data for the location:

#### **Low Burden Community**

Purpose: Identify communities with minimal activity.

#### Definition:

<10 new cases per 100k population in the last week</li>

#### **Moderate Burden Community**

Purpose: Identify communities with moderate disease activity.

#### Definition:

- Has NOT been identified as a <u>Hotspot</u>, <u>Sustained Hotspot</u>, or <u>High</u>
   <u>Burden—Resolving</u> within the last 2 weeks
   AND
- Does not meet the definition for an <u>Emerging Hotspot</u>, <u>Hotspot</u>, <u>Sustained Hotspot</u>, or <u>High Burden—Resolving</u>
   AND
- Does not meet the definition for being a <u>Low Burden Community</u>

#### **Emerging Hotspot**

**Purpose:** Generate early and reliable signals of communities with emerging increases in disease burden that have a high likelihood for becoming a hotspot in the next 1-7 days.

#### Method:

Decision tree model that leverages the following features, trained based on prior data:

#### Cases

- Total cases in the last week
- Total cases per 100k population in the last week
- New cases in the last week minus new cases the previous week
- Ratio of total cases in last 7 days to total cases in last 30 days

#### <u>Testing</u>

- · Number of tests last week
- Difference in percent positive tests in last 7 days from last 21 days

#### Hotspot

**Purpose:** Identify communities that have reached a threshold of disease activity considered as being of high burden.

#### Definition:

 >100 new cases per 100k population OR >500 new cases in the past w eek

#### AND

Number of days in dow nw ard case trajectory\* ≤ 7 days

AND

>50 cases during past week

AND

Conditions must hold for at least 3 of the previous 5 days

#### **Sustained Hotspot**

**Purpose:** Identify communities that have had a high sustained case burden and are at potentially higher risk for experiencing healthcare resource limitations.

#### Definition:

 Either <u>Hotspot</u> for at least 7 preceding days or already a <u>Sustained</u> <u>Hotspot</u> on previous day

AND

 >200 new cases per 100k population OR >1,000 new cases in the past twoweeks

AND

 Daily incidence rate >15 new cases per 100k population for 8 or more of the last 14 days OR test positivity >8% over last 14 days AND

• >100 cases during the last two weeks

AND

• Conditions must hold for at least 3 of the previous 5 days

**Data Sources:** CDC Aggregate County Data; Unified Testing Dataset; US Census 2019

#### **High Burden - Resolving**

**Purpose:** Identify communities that were recently identified as hotspots and are now improving.

#### Definition:

- Identified as a <u>Hotspot</u> or <u>Sustained Hotspot</u> w ithin the last 2 w eeks AND
- Not currently a <u>Emerging Hotspot</u>, <u>Hotspot</u>, or <u>Sustained Hotspot</u>

  AND
- >100 new cases per 100k population OR >500 new cases in last week AND
- Number of days in dow nw ard trajectory\*≥ 7

AND

 >50 cases during last w eek OR both ≥ 10 cases in last w eek and >8% test positivity in last w eek

#### Moderate Burden - Resolving

**Purpose:** Identify communities that have a moderate level of burden, but are demonstrating improvement.

#### Definition:

 Identified as a <u>Hotspot</u>, <u>Sustained Hotspot</u>, or <u>High Burden—Resolving</u> within the last 2 weeks

AND

 Does not meet the definition for an <u>Emerging Hotspot</u>, <u>Hotspot</u>, <u>Sustained Hotspot</u>, or <u>High Burden—Resolving</u>

AND

Does not meet the definition for being a <u>Low Burden Community</u>

\*Number of Days in Downward Case Trajectory: This field is calculated using a CDC algorithm that first fits a smooth spline curve to daily case counts, and then counts the number of days that curve has been decreasing or at a low level. More specifically, the computation is based on a cubic spline fit of the 7-day rolling average of cases. The number of days decreasing (in downward trajectory) is calculated by summing the number of consecutive days of decline or near-zero incidence. A day is considered part of a downward trajectory if it (i) was previously at elevated incidence (had a two-week incidence greater than 10 cases per 100k population), and (ii) meets one of the following three conditions: (a) had a negative slope, OR (b) was in a low-incidence plateau (two-week incidence ≤ 10 cases per 100k population and a slope ≥ 0 to < 0.1 new cases per 100k population based on a 7-day moving average), OR (c) had less than 5 cases in the past 2 weeks.